

POINT OF USE SYSTEM OF EXERGY

EXERGY, A COMPANY RENOWNED FOR ITS HIGH PERFORMANCE, PROVIDES THE MOST EFFICIENT POINT OF USE SYSTEMS ON THE MARKET.



CONTACT US

✉ info@aseptconn.ch
☎ +41 (0)52 725 10 10

Point of Use

We at Aseptconn AG are pleased to inform you that we have added Exergy products to our distribution.

Point of Use systems instantly dispense hot or cold water at controlled temperatures. When not in use, a continuous flow of hot water (from the main loop) maintains disinfection.


All Exergy products are designed to meet the high standards and requirements of the Pharma, Biotech, Chemical and Aerospace industries.

Advantages of Exergy's Point of Use system

Exergy offers a point-of-use (POU) system in a hot loop. The PUREX POU cooling systems offer the following advantages.

Optimal management of WFI or PW

- WFI cooling: 2-23 LPM, 80-20°C.
- Variable temperatures and/or flow rates available.
- Compact footprint – the smallest available in the industry.
- Customized solutions.
- Compliant with ASME BPE standard.



Overall reduction in acquisition and operating costs

- Simplified installation – smaller footprint.
- Overall reduction in the number of components.
- Elimination of WFI or PW waste.
- Lower energy consumption.
- Operational flexibility.
- Minimized maintenance.

Greater sterility and safety


- Loop always sterile (with POU system in a hot loop).
- Reduced risk of microbial contamination.
- No UV disinfection required.
- Reduced measurement of TOC and loop conductivity.
- PW/WFI hot/cold combination available 24/7.



Reduce validation costs

All systems are fully integrated and tested at the factory.

POU systems designed by Exergy in «ONE» hot loop



" Our range of products for the Pharma field is almost unlimited, so don't hesitate to contact us "