

+

THREADED & FSW ENDS						FLANGED END									
SIZE	MAT'L	DIMENSIONS, INCHES				WGT. LBS.	ANSI FLANGE SIZE	DIMENSIONS, INCHES				Wt. lbs.			
		A	B	C	D			A ₁	B	C	D				
1/2 & 3/4"	DI/BRZ	3.62	8.25	2.25	7.12	22	150#	DI/BRZ	CS/SS	DI/BRZ	CS/SS	ALL	DI/BRZ	CS/SS	24
1"	CS/SS	3.62	8.25	2.25	7.12	23	300#	7.50	7.50	8.25	8.25	2.25	7.12	26	27
1"	CS/SS	4.18	9.00	2.65	7.12	25	150#	7.25	7.25	8.25	8.25	2.25	7.12	26	27
1 1/4"	DI/BRZ	4.12	8.50	2.25	7.08	25	300#	7.62	7.62	8.25	8.25	2.25	7.12	28	29
1 1/2"	DI/BRZ	4.50	8.75	2.37	7.08	28	150#	7.25	7.25	8.50	9.00	2.65	7.12	29	29
2"	CS/SS	4.81	9.25	2.65	7.08	31	300#	8.75	8.75	8.50	9.00	2.65	7.12	31	31
2"	DI/BRZ	4.50	9.00	2.50	7.08	26	150#	7.87	8.50	8.50	8.50	2.25	7.08	29	29
2"	CS/SS	5.50	9.25	2.75	7.08	35	300#	8.37	8.50	8.75	9.25	2.65	7.08	34	37
2"	CS/SS	10.25	9.25	2.65	7.08	40	300#	10.25	10.00	9.25	9.25	2.65	7.08	40	43
2"	DI/BRZ	10.00	9.00	9.25	7.08	40	150#	10.00	10.00	9.00	9.25	2.75	7.08	40	45
2"	CS/SS	10.50	9.25	2.75	7.08	44	300#	10.50	10.50	9.00	9.25	2.75	7.08	44	49

① NOT ANSI STD.
② IFE ONLY

SPECIFICATION DATA	
CUSTOMER _____	SERIAL No. _____
ORDER No. _____	TAG No. _____
VALVE TYPE _____	QTY. _____
BODY _____	
END CONN. _____	MAX. Δ P _____
INLET PRESS. _____	PRESS. RANGE _____ SET AT _____
VALVE ACTION: RISE IN PRESSURE TO	<input type="checkbox"/> OPEN
	<input type="checkbox"/> CLOSE
VALVE SEAT _____ Cv _____	MISC. _____
CERTIFIED _____	DATE _____

RICHARDS INDUSTRIES
CINCINNATI, OHIO
U.S.A.

VALVE GROUP _____

F.N.:MK55

MK55 & 65

1/2-2" MARK 55 & 65
VACUUM BREAKER AND VACUUM REGULATOR

DRAWN BY: JLA DATE: 4/9/96
CHECKED BY: _____ DATE: _____

MK55/65

+